

Your Project #: QC
Your C.O.C. #: 510540

Report Date: 2008/06/16

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A859530
Received: 2008/06/09, 15:36

Sample Matrix: FOOD
Samples Received: 2

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Method Reference
Aerobic colony count, (CFU/g(mL))	2	N/A	2008/06/09	CAM SOP-00502	MFHPB-18
Coliform/E.coli (DF),(CFU/g(mL))	2	N/A	2008/06/09	CAM SOP-00516	MFHPB-34
Salmonella, (P-A/25g(mL))	2	N/A	2008/06/09	CAM SOP-00505	MFHPB-20
Pseudomonas spp., (CFU/g(mL))	2	N/A	2008/06/09	AOAC Method 9.1 1995	Based on AOAC 9.1
Staphylococcus aureus, (CFU/g(mL))	2	N/A	2008/06/09	CAM SOP-00515	MFHPB-21
Yeast and Mould, (CFU/g(mL))	2	N/A	2008/06/09	CAM SOP-00517	MFHPB-22
pH	2	N/A	2008/06/11	CAM SOP-00413	AOAC 981.12,MFHPB-03

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LINDA WRIGHT, Customer Service Supervisor.
Email: linda.wright@maxxamanalytics.com
Phone# (905) 817-5700 Ext:5745

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Total cover pages: 1

Maxxam Job #: A859530
Report Date: 2008/06/16

Dynamise Botanicals Inc
Client Project #: QC

RESULTS OF ANALYSES OF FOOD

Maxxam ID		Z13806	Z13807	
Sampling Date				
COC Number		510540	510540	
	Units	INFUSION 0518	INFUSION 0601	RDL
pH	N/A	4.0	3.9	N/A
RDL = Reportable Detection Limit				

Maxxam Job #: A859530
Report Date: 2008/06/16

Dynamise Botanicals Inc
Client Project #: QC

MICROBIOLOGY (FOOD)

Maxxam ID		Z13806	Z13807	
Sampling Date				
COC Number		510540	510540	
	Units	INFUSION 0518	INFUSION 0601	RDL
Aerobic colony count	CFU/g(mL)	97	130	1
Pseudomonas aeruginosa	CFU/g(mL)	<1	<1	1
Pseudomonas spp.	CFU/g(mL)	<1	<1	1
Salmonella	P-A/25g(mL)	NEG	NEG	1
Staphylococcus aureus	CFU/g(mL)	<2.5	<2.5	2.5
Coliform	CFU/g(mL)	<1	<1	1
Yeast	CFU/g(mL)	<1	<1	1
Escherichia coli	CFU/g(mL)	<1	<1	1
Mould	CFU/g(mL)	<1	<1	1
RDL = Reportable Detection Limit				

Maxxam Job #: A859530
Report Date: 2008/06/16

Dynamise Botanicals Inc
Client Project #: QC


GENERAL COMMENTS

Results relate only to the items tested.

Validation Signature Page

Maxxam Job #: A859530

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



DAVID SHEPHERD, Scientific Specialist



HELEN WEIDINGER, Scientific Specialist

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.